



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HEAVY DUTY TRUCKS, SEMI, COACHES & BUSES

Balance Tires and Wheel end Assembly

Stallion Sahara helps hydrodynamically balance medium to heavy truck tires. Stallion Sahara outperforms traditional lead weights that tend to fall off. Once Stallion Sahara is installed in a tire, it will dynamically act to dampen vibrations for the life of the tire, so you do not need periodic rebalancing. Stallion Sahara won't clump up or clog valve stems like powder balancers. Remove wheel weights. Stallion Sahara will NOT balance bent rims or a tire with manufacturer's defects.

Trucks, Semi, Coaches & Buses		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
14.5"	7-14.5	25	739
	8-14.5	27	798
	9-14.5	32	946
15"	7.00R15	27	798
	7.50R15	27	798
	8.25R15	32	946
	9.00R15	34	1005
	10.00R15	36	1065
16"	11.00R15	40	1183
	6.50-16	27	798
	7.00-16	27	798
	7.50-16	27	798
	8.25 x 16	40	1183
	205/65 R16	28	828
	205/80 R16	30	887
	7.50R17	32	946
17.5"	8-17.5	34	1005
	8R17.5	34	1005
	9R17.5	38	1124
	10R17.5	43	1272
	11R17.5	45	1331
	14R17.5	58	1715
	215/75R17.5	34	1005
	235/75R17.5	36	1065

Formula for tire sizes not found in this section use the following formula
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 8 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

HEAVY DUTY TRUCKS, SEMI, COACHES & BUSES

Balance Tires and Wheel end Assembly

Stallion Sahara helps hydrodynamically balance medium to heavy truck tires. Stallion Sahara outperforms traditional lead weights that tend to fall off. Once Stallion Sahara is installed in a tire, it will dynamically act to dampen vibrations for the life of the tire, so you do not need periodic rebalancing. Stallion Sahara won't clump up or clog valve stems like powder balancers. Remove wheel weights. Stallion Sahara will NOT balance bent rims or a tire with manufacturer's defects.

Trucks, Semi, Coaches & Buses		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	245/80R17.5	38	1124
18"	7.00R18	34	1005
	7.50R18	36	1065
19.5"	8R19.5	34	1005
	15R19.5	68	2011
	18R19.5	81	2395
	225/70R19.5	38	1124
	225/75R19.5	40	1183
	245/70R19.5	43	1272
	265/70R19.5	47	1390
	285/70R19.5	49	1449
	305/70R19.5	54	1597
	445/45R19.5	68	2011
	445/65R19.5	72	2129
20"	7.5-20	40	1183
	8.25-20	45	1331
	8.25R20	45	1331
	9.00-20	47	1390
	9.00R20	47	1390
	10.00-20	50	1479
	10.00R20	50	1479
	11.00-20	58	1715
	11.00R20	58	1715
20"	12.00-20	61	1804

Formula for tire sizes not found in this section use the following formula
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 8 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HEAVY DUTY TRUCKS, SEMI, COACHES & BUSES

Balance Tires and Wheel end Assembly

Stallion Sahara helps hydrodynamically balance medium to heavy truck tires. Stallion Sahara outperforms traditional lead weights that tend to fall off. Once Stallion Sahara is installed in a tire, it will dynamically act to dampen vibrations for the life of the tire, so you do not need periodic rebalancing. Stallion Sahara won't clump up or clog valve stems like powder balancers. Remove wheel weights. Stallion Sahara will NOT balance bent rims or a tire with manufacturer's defects.

Trucks, Semi, Coaches & Buses		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	12.00R20	61	1804
	13.00R20	67	1981
	G-20	72	2129
	14.00R20	72	2129
	16.00R20	81	2395
	365/80R20	76	2247
	395/85R20	81	2395
20.5"	24R20.5	120	3548
21"	12.00-21	65	1922
	14.00R21	76	2247
	14.50-21	77	2277
	16.00R21	86	2543
	18.00-21	97	2868
	23.00-21	121	3578
	24R21	125	3696
22"	10.00-22	58	1715
	10.00R22	58	1715
	11.00-22	61	1804
	11.00R22	61	1804
22.5"	8R22.5	43	1272
	9R22.5	48	1419
	10R22.5	54	1597
	11R22.5	58	1715
	12R22.5	61	1804

Formula for tire sizes not found in this section use the following formula
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 8 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HEAVY DUTY TRUCKS, SEMI, COACHES & BUSES

Balance Tires and Wheel end Assembly

Stallion Sahara helps hydrodynamically balance medium to heavy truck tires. Stallion Sahara outperforms traditional lead weights that tend to fall off. Once Stallion Sahara is installed in a tire, it will dynamically act to dampen vibrations for the life of the tire, so you do not need periodic rebalancing. Stallion Sahara won't clump up or clog valve stems like powder balancers. Remove wheel weights. Stallion Sahara will NOT balance bent rims or a tire with manufacturer's defects.

Trucks, Semi, Coaches & Buses		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	12.5R22.5	65	1922
	12.75R22.5	67	1981
	13.00-22.5	68	2011
	15.00R22.5	77	2277
	16.50R22.5	86	2543
	18.00R22.5	92	2720
	235/80R22.5	49	1449
	245/70R22.5	50	1479
	245/75R22.5	50	1479
	255/70R22.5	50	1479
	255/75R22.5	50	1479
	255/80R22.5	54	1597
	265/75R22.5	56	1656
	275/70R22.5	56	1656
	275/75R22.5	58	1715
	275/80R22.5	58	1715
	295/70R22.5	60	1774
	295/75R22.5	59	1745
	295/80R22.5	61	1804
	305/70R22.5	58	1715
	305/75R22.5	61	1804
	305/85R22.5	62	1833
22.5"	315/80R22.5	67	1981
	365/70R22.5	92	2720

Formula for tire sizes not found in this section use the following formula
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 8 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HEAVY DUTY TRUCKS, SEMI, COACHES & BUSES

Balance Tires and Wheel end Assembly

Stallion Sahara helps hydrodynamically balance medium to heavy truck tires. Stallion Sahara outperforms traditional lead weights that tend to fall off. Once Stallion Sahara is installed in a tire, it will dynamically act to dampen vibrations for the life of the tire, so you do not need periodic rebalancing. Stallion Sahara won't clump up or clog valve stems like powder balancers. Remove wheel weights. Stallion Sahara will NOT balance bent rims or a tire with manufacturer's defects.

Trucks, Semi, Coaches & Buses		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	385/65R22.5	72	2129
	425/65R22.5	94	2780
	445/45-22.5	101	2987
	445/50R22.5	120	3548
	445/65R22.5	105	3105
	455/50R22.5	120	3548
	455/55R22.5	112	3312
	495/45-22.5	115	3401
23.5"	23.00-23.5	122	3608
24"	11.00R24	68	2011
	12.00R24	72	2129
	13.00R24	79	2336
	14.00R24	86	2543
24.5"	11R24.5	61	1804
	12R24.5	68	2011
	13.5R24.5	76	2247
	245/75R24.5	56	1656
	275/80R24.5	61	1804
	285/75R24.5	61	1804
25"	11.00-25	70	2070
	12.00-25	77	2277
	13.00-25	83	2454
	14.00-25	88	2602

Formula for tire sizes not found in this section use the following formula
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 8 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
IF NOT SURE, PLEASE CONTACT US.

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
15"	7.50R15	71	2099
	8.25R15	77	2277
	8.5/90-15	74	2188
	9.00-15	80	2366
	9.00R15	80	2366
	10.00R15	86	2543
	14.0/65-15	98	2898
	14.5R15	119	3519
	17.4-15	137	4051
	300/65R15	90	2661
	350/65R15	98	2898
	400/80R15	101	2987
	95/65-15	86	2543
	7.50-16	74	2188
	9.00-16	86	2543
16"	9.00R16	86	2543
	10.5/80-16	90	2661
	11.00-16	98	2898
	11.00R16	98	2898
	12.00-16	105	3105
	12.5/70-16	110	3253
	16.00-16	134	3962
	16.00R16	134	3962
	10-16.5	95	2809
	35 x 19 x 16.1	175	5175

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
18"	12.5/65-18	104	3075
	15.5/60-18	119	3519
	15.5/70-18	125	3696
20"	8.25-20	95	2809
	9.00-20	101	2987
	9.00R20	101	2987
	10.00-20	110	3253
	11.00-20	119	3519
20"	11.00R20	119	3519
	12.00-20	128	3785
	12.00R20	128	3785
	13.00-20	137	4051
	13.5-20	140	4140
	14.00-20	146	4317
	14.00R20	146	4317
	14/70-20	130	3844
	16.00-20	164	4849
	16.00R20	164	4849
	17.5/65-20	149	4406
	335/80R20	130	3844
	425/95R20	170	5027
	42x17-20	210	6210
	12.00-21	134	3962
	12.00R21	134	3962
	14.00-21	152	4495

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	14.00R21	152	4495
	16.00-21	170	5027
	16.00R21	170	5027
	24.00-21	245	7245
	24R21	245	7245
	24-21	245	7245
	27.25-21	278	8220
	27.25R21	278	8220
22.5"	10-22.5	122	3608
	11-22.5	131	3874
	13-22.5	152	4495
	16.5-22.5	188	5559
	17.5-22.5	200	5914
24"	10.00-24	128	3785
	10.00R24	128	3785
	12.00-24	149	4406
	12.00R24	149	4406
	13.00-24	161	4761
	13.00R24	161	4761
	14.00-24	170	5027
	14.00R24	170	5027
	16.00-24	191	5648
	16.00R24	191	5648
	16.9-24	203	6003
	18.00-24	215	6358

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
25"	18.00R24	215	6358
	18.4-24	218	6446
	19.5-24	230	6801
	21.00-24	245	7245
	385/95R24	173	5116
	480/65-R24	240	7097
	12.00R25	155	4583
	13.00-25	167	4938
	13.00R25	167	4938
	14.00-25	176	5204
	14.00R25	176	5204
	15.5-25	194	5737
	15.5R25	194	5737
	16.00-25	200	5914
	16.00R25	200	5914
	17.5-25	215	6358
	17.5R25	215	6358
	18.00-25	221	6535
	18.00R25	221	6535
	30/65-25	206	6091
	20.5-25	251	7422
	20.5R25	251	7422
	21.00-25	254	7511
	21.00R25	254	7511
	22/65R25	224	6624

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	23.5-25	284	8398
	23.5R25	284	8398
	24.00-25	290	8575
	24.00R25	290	8575
	25/65-25	251	7422
	25/65R25	251	7422
	26.5-25	317	9374
	26.5R25	317	9374
	29.5-25	350	10350
	29.5R25	350	10350
	30/65-25	299	8841
	30/65R25	299	8841
	35/65-25	344	10172
	385/95R25	194	5737
	445/80R25	200	5914
	445/95R25	215	6358
25"	505/95R25	242	7156
	525/80R25	233	6890
	550/65R25	240	7097
	575/95R25	272	8043
	605/80R25	263	7777
	650/65R25	275	8132
	685/80R25	296	8753
	750/65R25	290	8575
26"	16.00-26	206	6091

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	18.00-26	230	6801
	23.1-26	310	9167
	28LR-26	360	10645
26.5	750/55R26.5	320	9462
	750/45R26.5	320	9462
28"	16.9-28	233	6890
29"	20/65-29	236	6979
	24.00-29	332	9817
	24.00R29	332	9817
	25/65-29	287	8487
	26.5-29	365	10793
	26.5R29	365	10793
	29.5-29	404	11946
	29.5R29	404	11946
	30/65-29	341	10083
	30/65R29	341	10083
	33.25-29	452	13366
	33.25R29	452	13366
	35/65-29	395	11680
	65/30-29	415	12272
	775/65R29	510	15081
	875/65R29	520	15376
30"	16.9-30	248	7333
32"	30.5-32	480	14194
	35.5-32	704	20817

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	73/44-32	680	20108
33"	18.00-33	287	8487
	21.00R33	332	9817
33"	21/90R33	360	10645
	24.00-33	374	11059
	27.00-33	419	12390
	27.00R33	419	12390
	30-33	464	13720
	30/65-33	386	11414
	33.5R33	515	15229
	33.5-33	515	15229
	35/65-33	446	13188
	35/65R33	446	13188
	37.5-33	575	17003
	37.5R33	575	17003
	30.00-33	464	13720
	65/35-33	486	14371
	65/35R33	486	14371
34"	14.9-34	200	5914
	18.4 x 34	464	13720
	480/85-R34	290	8575
	540/65-R34	360	10645
35"	21.00-35	350	10350
	21.00R35	350	10350
	24.00-35	398	11769

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	24.00R35	398	11769
	29.5-35	482	14253
	29.5R35	482	14253
	33.25-35	542	16027
	33.25R35	542	16027
	37.25-35	605	17890
	37.25R35	605	17890
37"	31.5-37	542	16027
	31.5R37	542	16027
38"	11.2R38	140	4140
	12.4R38	160	4731
	15.5-38	220	6505
	18.4-38	280	8280
	20.8-38	400	11828
	520/85-38	370	10941
	710/70R38	642	18984
39"	33.5-39	605	17890
	33.5R39	605	17890
	37.5-39	677	20019
	37.5R39	677	20019
	40/65-39	596	17624
	40/65R39	596	17624
	40.5/75R39	641	18954
	41.25/70-39	632	18688
	45/65-39	685	20255

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	45/65R39	685	20255
	46/65-39	690	20403
	46/65R39	690	20403
	65/40-39	710	20995
42"	18.4-42	300	8871
	20.8-42	340	10054
	900/50R42	640	18925
43"	24.00-43	520	15376
45"	45/65-45	770	22769
	45/65R45	770	22769
	50/65R45	854	25253
	55/65R45	935	27648
	65/45-45	952	28151
46"	16.9-46	260	7688
	18.4-46	320	9462
49"	18.00-49	416	12301
	18.00R49	416	12301
	21.00-49	482	14253
	21.00R49	482	14253
	24.00-49	548	16204
	24.00R49	548	16204
	27.00-49	614	18156
	27.00R49	614	18156
	31/90R49	749	22148
51"	24.00-51	569	16825

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	27.00-51	614	18156
	30.00-51	707	20906
	30.00R51	707	20906
	33.00-51	776	22946
	33.00R51	776	22946
	36.00-51	842	24898
	36.00R51	842	24898
	37.5-51	878	25962
	37.5R51	878	25962
	50/65-51	965	28535
	50/65R51	965	28535
	55/65-51	1,058	31285
	60/65-51	1,151	34035
	65/65-51	1,247	36874
	675/60-51	707	20906
53"	39/90R53	902	26672
56.5"	27.00-56.5	714	21113
	30.00-56.5	779	23035
57"	37.00R57	965	28535
	40.00-57	1,220	36075
	42/90/57	1,266	37436
	44.00/57	1,322	39092
	44/80/R57	1,137	33621
	46/90-57	1,306	38618
	49.50/57	1,425	42137

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
 WhatsApp: +1 (604) 396-2000
 Email: info@stallionmfg.com
 Website: www.stallionmfg.com

OTR / AGRICULTURE / INDUSTRIAL / MINING TIRES

OTR/FARM/INDUSTRY		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	50/80 - 57	1,390	41102
	52/80 - 57	1,460	43172
	53.5/85 - 57	1,583	46809
	55/80 R57	1,620	47903
	55.5/80 - 57	1,620	47903
57"	60/80R57	1,700	50269
	65/65 - 57	1,860	55000
	70/70 - 57	1,960	57957
59.5"	33 - 59.5	870	25726
	36 - 59.5	980	28979
	39 - 59.5	1,061	31374
63"	53/80 - 63	1,730	51156
	55/80 - 63	1,740	51452
	56/80 - 63	1,760	52043
	59/80 - 63	1,800	53226

Formula for tire sizes not found in this section use the following formula...
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
4"	2.50-4	8	237
	2.80-4	8	237
	2.80/2.50-4	8	237
	3.00-4	8	237
	4.00-4	8	237
	4.10/3.50-4	8	237
	4.80-4	12	355
5"	3.40-5	12	355
	3.40/3.00-5	12	355
	3.50-5	12	355
	4.00-5	12	355
	4.10-5	12	355
	4.10/3.50-5	12	355
	6.50-5	20	591
6"	4.10-6	16	473
	4.10/3.50-6	16	473
	5.00-6	16	473
	5.30-6	20	591
	5.30/4.50-6	20	591
	6.00-6	20	591
	6.50-6	23	680
	6.90-6	23	680
	6.90/6.00-6	23	680
	7.70-6	27	798
	8.00-6	27	798

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	11.00-6	39	1153
7"	4.80-7	20	591
8"	3.50-8	16	473
	4.00-8	20	591
	4.80-8	23	680
	4.80/4.00-8	23	680
	5.00-8	23	680
	5.00R8	23	680
	5.70-8	27	798
	9.50-8	43	1272
	10.00-8	47	1390
	16x5.50-8	27	798
	125/75R8	20	591
	150/75-8	23	680
	18x7-8	31	917
	180/70-8	27	798
9"	4.80-9	23	680
	4.80/4.00-9	23	680
	5.00-9	27	798
	6.00-9	31	917
	6.00R9	31	917
	6.90-9	35	1035
	6.90/6.00-9	35	1035
9"	7.00-9	35	1035
	21x8-9	43	1272

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	200/75-9	35	1035
10"	6.50-10	39	1153
	6.50R10	39	1153
	7.50-10	43	1272
	20x8.00-10	47	1390
	23x9-10	51	1508
	225/70R10	47	1390
10"	225/70-10	47	1390
12"	4.00-12	27	798
	4.50-12	31	917
	4.80-12	35	1035
	4.80/4.00-12	35	1035
	5.30-12	39	1153
	5.30/4.50-12	39	1153
	5.70-12	39	1153
	7.00-12	51	1508
	7.00R12	51	1508
	7.50-12	51	1508
	8.00-12	55	1626
	8.25-12	59	1745
	23x8.50-12	59	1745
	23X9.50-12	66	1952
	23/10-12	70	2070
	250/60-12	43	1272
	250/70R12	59	1745

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	250/75-12	62	1833
	26X12.00-12	86	2543
13"	23-5-13	39	1153
	150/100-13	42	1242
14"	23x8.50-14	61	1804
	25x8.50-14	65	1922
15"	27x8.50-15	68	2011
	27x10-15	68	2011
	27x10.50-15	81	2395
	205/70R15	62	1833
	205/70-15	62	1833
	290-15	44	1301
	300-15	48	1419
	5.50-15	47	1390
	5.70-15	51	1508
	7.00-15	62	1833
	7.00R15	62	1833
	7.50-15	66	1952
	7.50R15	66	1952
	7.50-15(32)	70	2070
	8.15-15	70	2070
15"	8.25-15	74	2188
	8.25R15	74	2188
	225/75-15	70	2070
	225/75R15	70	2070

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	225/75R15	70	2070
	250-15	86	2543
	250/70-15	74	2188
	250/70R15	74	2188
	27x8.50-15	57	1685
	27x10.50-15	68	2011
	27x12.50-15	72	2129
	28x9-15	78	2306
	28x12.5-15	112	3312
	31x15.50-15	101	2987
	315/70-15	94	2780
	315/70R15	94	2780
	355/65-15	101	2987
	355/65R15	101	2987
	32x12.1-15	125	3696
15.3"	10.0/75-15.3	99	2927
	11.5/80-15.3	103	3046
16"	6.00-16	55	1626
	7.00-16	66	1952
	7.50-16	70	2070
	9.00-16	86	2543
	12.5/70-16	98	2898
16.5"	8.00-16.5	70	2070
	9.50-16.5	83	2454
	10-16.5	98	2898

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	12-16.5	117	3460
	31x15.5-16.5	125	3696
	33x14.5-16.5	130	3844
	33x15.5-16.5	137	4051
17.5"	14-17.5	144	4258
18"	10.5-18	107	3164
	12.5-18	109	3223
	15.5-60-18	129	3815
18"	15.5/70-18	137	4051
	7.50-18	78	2306
18.5"	13-18.5	140	4140
19.5"	15-19.5	172	5086
	18-19.5	182	5382
20"	7.00-20	82	2425
	7.50-20	86	2543
	8.25-20	98	2898
	9.00-20	105	3105
	9.00R20	105	3105
	10.00-20	117	3460
	35/65-29	395	11680
	65/30-29	415	12272
	775/65R29	510	15081
	875/65R29	520	15376
30"	16.9-30	248	7333
32"	30.5-32	480	14194

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

INDUSTRIAL / CONSTRUCTION

Industrial / Construction		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	35.5-32	704	20817
	73/44-32	680	20108
33"	18.00-33	287	8487
	21.00R33	332	9817
33"	21/90R33	360	10645
	24.00-33	374	11059
	27.00-33	419	12390
	27.00R33	419	12390
	30-33	464	13720
	30/65-33	386	11414
	33.5R33	515	15229
	33.5-33	515	15229
	35/65-33	446	13188
	35/65R33	446	13188
	37.5-33	575	17003
	37.5R33	575	17003
	30.00-33	464	13720
	65/35-33	486	14371
	65/35R33	486	14371
34"	14.9-34	200	5914
	18.4 x 34	464	13720

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

LAWN & GARDEN TIRES - ATV - GOLF CART

Lawn & Garden Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
1.25"	8x1.25	4	118
2"	8x2	5	148
4"	2.80/2.50-4	6	177
	2.80-4	6	177
	3.00-4	6	177
	4.00-4	6	177
	4.10-4	6	177
	8x3.00-4	8	237
	9x3.50-4	10	296
	4.10/3.50-4	6	177
	11x4.00-4	9	266
5"	3.40/3.00-5	9	266
	4.10-5	9	266
	4.10/3.50-5	9	266
	10x4.50-5	9	266
	11x3.60-5	10	296
	11x4.00-5	11	325
	11x4.50-5	12	355
	11x6.00-5	13	384
	11x7.10-5	15	444
	12x4.00-5	13	384
6"	4.00-6	12	355
	4.10-6	12	355
	4.10/3.50-6	13	384
	5.30/4.50-6	13	384

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

LAWN & GARDEN TIRES - ATV - GOLF CART

Lawn & Garden Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	8.00-6	22	651
	12x6.00-6	14	414
	13x4.00-6	13	384
	13x5.00-6	14	414
	13x6.50-6	15	444
	14X4.50-6	16	473
	15x5.00-6	17	503
	15x6.00-6	18	532
8"	3.00-8	14	414
	3.50-8	14	414
	4.00-8	16	473
	4.80-8	18	532
	4.80/4.00-8	18	532
	5.70-8	21	621
	15x6.50-8	21	621
	16x6.50-8	21	621
	16x7.50-8	27	798
	18x6.50-8	24	710
	18x7.50-8	27	798
	18x8.50-8	30	887
	18x9.50-8	33	976
	18.5x8.50-8	30	887
	20x8.00-8	32	946
	20x10.00-8	36	1065
	22x11.00-8	40	1183

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

LAWN & GARDEN TIRES - ATV - GOLF CART

Lawn & Garden Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	22.5x10.00-8	44	1301
9"	25x12.00-9	62	1833
10"	5.00-10	22	651
	18x8.50-10	32	946
	18x10.50-10	38	1124
	18x11.00-10	40	1183
	19.5x8.25-10	30	887
	20x8.00-10	32	946
	20x10.00-10	40	1183
	20x12.00-10	48	1419
	21x7.00-10	30	887
	22x9.50-10	42	1242
	22x11.00-10	48	1419
	23x10.00-10	46	1360
	24x9.50-10	48	1419
	24x12.00-10	55	1626
12"	5.30-12	30	887
	6-12*	28	828
	7-12*	35	1035
	21x8.50-12	36	1065
	22x7.50-12	39	1153
	22x9.50-12	41	1212
	23x8.50-12	45	1331
	23x9.50-12	51	1508
	23x10.50-12	57	1685

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

LAWN & GARDEN TIRES - ATV - GOLF CART

Lawn & Garden Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	24x9.50-12	45	1331
	24x12.00-12	58	1715
	24x13.00-12	62	1833
	26x12.00-12	66	1952
	34x13.00-12	78	2306
	24x8.50-12	43	1272
	25x10.50-12	74	2188
	25x11.00-12	50	1479
	26.5x14.00-12	54	1597
15"	27x8.50-15	60	1774
	27x10.50-15	64	1892
	29x12.50-15	78	2306
	29x14.00-15	84	2484
	31x12.00-15	78	2306
	31x13.50-15	84	2484
	31x15.50-15	96	2839
	200-50	66	1952

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

LAWN & GARDEN TIRES - ATV - GOLF CART

ATV Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
8"	18x8.00-8	32	946
	18x10.00-8	36	1065
	19x9.50-8	38	1124
	20x11.00-8	39	1153
	22X10.00-8	36	1065
	22x11.00-8	39	1153
9"	18X10.00-9	38	1124
	20X10.00-9	42	1242
	20X10.00R9	42	1242
	20x11.00-9	45	1331
	20x11.00R9	45	1331
	21X11.00-9	48	1419
	22x10.00-9	39	1153
	22x11.00-9	48	1419
	22X11.00R9	48	1419
	25x12.00-9	48	1419
10"	19X6.00-10	29	858
	20X6.00-10	32	946
	20X10.00R10	40	1183
	20x11.00-10	44	1301
	20X11.00R10	44	1301
	21x7.00-10	30	887
	21X7.00R10	30	887
	21x8.00-10	34	1005
	22x7.00-10	33	976

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

LAWN & GARDEN TIRES - ATV - GOLF CART

ATV Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	22X7.00R10	33	976
	22x8.00-10	36	1065
	22X8.00R10	35	1035
	22x11.00-10	48	1419
	22X11.00R10	48	1419
	23x7.00-10	32	946
	23X7.00R10	32	946
	23x8.00-10	37	1094
	23x10.00-10	46	1360
	24x11.00-10	48	1419
	25x12.00-10	54	1597
	26X12.00-10	49	1449
	27x10.00-10	54	1597
11"	22X7.00-11	31	917
	23X8.00-11	39	1153
	24x8.00-11	39	1153
	24x9.00-11	45	1331
	24x10.00-11	51	1508
	25x8.00-11	40	1183
	25x10.00-11	44	1301
	25X12.00-11	48	1419
12"	22X11.00-12	40	1183
	23x8.00-R12	37	1094
	23x10.00R12	54	1597
	24X8.00-12	43	1272

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

LAWN & GARDEN TIRES - ATV - GOLF CART

ATV Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	25x8.00-12	45	1331
	25X8.00R12	45	1331
	205/80R12	45	1331
	25x9.00-12	45	1331
	25x10.00-12	54	1597
	25X10.00R12	54	1597
	270/60R12	75	2218
	25X12.00-12	66	1952
	26X8.00R12	45	1331
	205/85R12	75	2218
	26x9.00-12	55	1626
	26X9.00R12	55	1626
	26x10.00-12	58	1715
	26X10.00R12	58	1715
	255/70R12	70	2070
	26X11.00-12	60	1774
	26X11.00R12	60	1774
	26x12.00-12	66	1952
	26X12.00R12	62	1833
	27x9.00-12	50	1479
	27X9.00R12	50	1479
	27x10.00-12	54	1597
	27X11.00-12	58	1715
	27x12.00-12	62	1833
	28X9.00-12	64	1892

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.

LAWN & GARDEN TIRES - ATV - GOLF CART

ATV Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
14"	28x10.00-12	68	2011
	28X11.00-12	72	2129
	28x12.00-12	74	2188
	30X10.00-12	78	2306
	30X12.00-12	82	2425
	26X9.00-14	48	1419
	26X9.00R14	48	1419
	26X10.00R14	52	1538
	26X11.00-14	56	1656
	26X11.00R14	56	1656
	27X9.00-14	60	1774
	27X9.00R14	60	1774
	27X10.00-14	64	1892
	27X11.00-14	68	2011
	27X11.00R14	68	2011
	27X12.00-14	72	2129
	30X9.00-14	74	2188
	30X10.00-14	78	2306
	30X11.00-14	80	2366
	30X12.00-14	84	2484
15"	26X10.00R15	50	1479

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**

LAWN & GARDEN TIRES - ATV - GOLF CART

Golf Tires		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
8"	18x8.50-8	30	887
	18x9.50-8	33	976
	18.5x8.50-8	32	946
	18.5x8.50R8	32	946
	215/60-8	27	798
10"	205/50-10	32	946
	20x10R10	40	1183
12"	205/30-12	48	1419
	215/35R12	50	1479

Formula for tire sizes not found in this section use the following formula:

Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 4 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
 IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HIGH SPEED ST TIRES (TOW TRAILERS ONLY)

Tow Trailer Only		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
8"	4.8-8	15	444
	5.70-8	15	444
	16.6x6.50-8	16	473
	18.5x8.50-8	21	621
	18.5x9.50-8	23	680
9"	6.90-9	19	562
10"	6.50-10	21	621
	7.00-10	21	621
	7.50-10	21	621
	20.5x8.00	21	621
	205/50-10	20	591
12"	4.80-12	15	444
	5.30-12	17	503
	6.90-12	20	591
	23.5x8.50-12	25	739
13"	6.00-13	20	591
	6.50-13	20	591
	7.00-13	20	591
14"	E78-14	28	828
	G78-14	27	798
	6.45-14	25	739
	7.00-14	23	680
	7.35-14	20	591
	7.75-14	20	591
	7.90-14	21	621

Formula for tire sizes not found in this section use the following formula.

Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 12 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HIGH SPEED ST TIRES (TOW TRAILERS ONLY)

Tow Trailer Only		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	8.25-14	21	621
	8.55-14	25	739
	9.55-14	25	739
14.5"	7.00-14.5	25	739
	8.00-14.5	25	739
	9.00-14.5	25	739
15"	G78-15	31	917
	H78-15	33	976
	L78-15	34	1005
	6.70-15	28	828
	6.85-15	25	739
	7.00-15	25	739
	7.10-15	25	739
	7.35-15	25	739
	7.50-15	25	739
	7.75-15	25	739
	8.25-15	25	739
	8.55-15	25	739
	8.85-15	25	739
	9.00-15	25	739
	10.00-15	25	739
	11.00-15	25	739
	12.00-15	25	739
16"	6.00-16	25	739
	6.50-16	25	739

Formula for tire sizes not found in this section use the following formula.

Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 12 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HIGH SPEED ST TIRES (TOW TRAILERS ONLY)

Tow Trailer Only		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	7.00-16	25	739
	7.50-16	25	739
	8.00-16	25	739
	8.25-16	30	887
	9.00-16	30	887
	10.00-16	30	887
	11.00-16	30	887
16.5"	8.00-16.5	30	887
	8.75-16.5	30	887
	9.50-16.5	30	887
	10.00-16.5	35	1035
	12.00-16.5	40	1183
17.5"	7.00-17.5	35	1035
	8.00-17.5	35	1035
	10.00-17.5	40	1183
	11R17.5	36	1065
	14R17.5	46	1360
	215/75R17.5	27	798
	235/75R17.5	29	858
	245/80R17.5	30	887
18"	7.00R18	27	798
	7.50R18	29	858
19.5"	8R19.5	27	798
	15R19.5	54	1597
	18R19.5	65	1922

Formula for tire sizes not found in this section use the following formula.

Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 12 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.

IF NOT SURE, PLEASE CONTACT US.



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

HIGH SPEED ST TIRES (TOW TRAILERS ONLY)

Tow Trailer Only		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	225/70R19.5	30	887
	225/75R19.5	32	946
	245/70R19.5	34	1005
	265/70R19.5	38	1124
	285/70R19.5	39	1153
	305/70R19.5	43	1272
	445/45R19.5	54	1597
	445/65R19.5	58	1715

Formula for tire sizes not found in this section use the following formula.

Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 12 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

**NOTE: ADD 20% MORE PRODUCT TO RETREAD TIRES, USED TIRES AND BIAS PLY TIRES.
IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
 WhatsApp: +1 (604) 396-2000
 Email: info@stallionmfg.com
 Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
8	3.00-8	3	89
	3.50-8	4	118
	4.80-8	8	237
	4.80/4.00-8	9	266
	4.80/440-8	9	266
	5.70-8	9	266
10	80/90-10	3	89
	90/90-10	4	118
	M120/90-10	5	148
	M130/90-10	6	177
	M70/100-10	3	89
	2.50-10	3	89
	2.75-10	3	89
	3.00-10	3	89
	3.50-10	4	118
	4.00-10	4	118
	M110/70-11	4	118
	M120/70-12	6	177
12	M130/70-12	6	177
	M120/80-12	6	177
	M90/90-12	4	118
	M100/90-12	4	118
	M110/90-12	6	177
	M60/100-12	3	89
	M80/100-12	4	118

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16= Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
13	M110/100-12	6	177
	M130/60-13	6	177
	M130/70-13	6	177
	M150/70-13	8	237
14	M110/90-13	5	148
	3.00-14	4	118
	M140/60-14	7	207
	M160/60-14	8	237
	M120/70-14	6	177
	M150/70-14	8	237
	M120/80-14	6	177
	M180/80-14	11	325
	M80/90-14	4	118
	M90/90-14	4	118
	M60/100-14	3	89
	M80/100-14	4	118
	M90/100-14	6	177
	M140/90-16	9	266
	MT90-16	8	237
	MU90-16	9	266
16	M90/100-16	6	177
	3.00-17	4	118
	3.25-17	5	148
	3.50-17	5	148
	4.50-17	6	177

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	4.60-17	7	207
	M300/40-17	19	562
	M190/50-17	11	325
	M200/50-17	12	355
	M180/55-17	10	296
	M190/55-17	12	355
	M200/55-17	12	355
	M120/60-17	7	207
	M130/60-17	7	207
	M150/60-17	9	266
	M160/60-17	9	266
	M170/60-17	10	296
	M190/60-17	12	355
	M110/70-17	6	177
	M120/70-17	7	207
	M130/70-17	7	207
	M140/70-17	8	237
	M150/70-17	9	266
	M160/70-17	10	296
	M140/75-17	8	237
	M200/75-17	8	237
	M100/80-17	6	177
	M110/80-17	7	207
	M120/80-17	8	237
	M130/80-17	9	266

Formula for tire sizes not found in this section use the following formula:
Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire
Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	M140/80-17	10	296
	M150/80-17	8	237
	M70/90-17	4	118
	M80/90-17	5	148
	M90/90-17	6	177
	M110/90-17	5	148
	M120/90-17	8	237
	M130/90-17	8	237
	M60/100-17	3	89
	MS90-17	7	207
	MT90-17	8	237
	M70/100-17	5	148
18	2.75-18	4	118
	3.00-18	5	148
	3.50-18	6	177
	4.00-18	7	207
	4.10-18	6	177
	4.25-18	7	207
	4.50-18	9	266
	4.60-18	8	237
	M360/35-18	24	710
	M330/35-18	21	621
	M300/30-18	18	532
	M300/35-18	19	562
	M240/40-18	15	444

Formula for tire sizes not found in this section use the following formula:

Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire

Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	M250/40-18	16	473
	M180/55-18	11	325
	M200/55-18	13	384
	M150/60-18	9	266
	M160/60-18	10	296
	M170/60-18	10	296
	M120/70-18	7	207
	M130/70-18	8	237
	M140/70-18	9	266
	M150/70-18	10	296
	M110/80-18	6	177
	M120/80-18	7	207
	M130/80-18	8	237
	M140/80-18	9	266
	M150/80-18	10	296
	MP85-18	7	207
	MT85-18	8	237
	M90/90-18	5	148
	M100/90-18	6	177
	M110/90-18	7	207
	M120/90-18	7	207
	M130/90-18	8	237
	ML90-18	5	148
	MM90-18	6	177
	MN90-18	6	177

Formula for tire sizes not found in this section use the following formula:
 Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire
 Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	MP90-18	7	207
	MR90-18	7	207
	MJ90-18	5	148
	M80/100-18	5	148
	M100/100-18	7	207
	M110/100-18	8	237
	M120/100-18	9	266
19	2.5-19	4	118
	3.00-19	5	148
	3.25-19	6	177
	3.50-19	6	177
	4.00-19	7	207
	4.10-19	6	177
	M120/70-19	8	237
	M100/80-19	6	177
	M110/80-19	7	207
	M120/80-19	8	237
	M90/90-19	5	148
	M100/90-19	6	177
	M110/90-19	7	207
	MJ90-19	5	148
	ML90-19	6	177
	MM90-19	6	177
	M70/100-19	5	148
20	3.00-20	5	148

Formula for tire sizes not found in this section use the following formula:
Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16 = Ounces per tire
Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**



Tel: +1 (604) 990-0988
WhatsApp: +1 (604) 396-2000
Email: info@stallionmfg.com
Website: www.stallionmfg.com

MOTORCYCLE TIRES

High Speed tires: Stallion Sahara gel coats the entire casing based on centrifugal force. Slower the speed the faster it will coat the casing. It may take up to 50 miles of drive time to cover the inner tire from bead to bead coverage.

Motorcycles		Ounce	mL
		Per	Per
Rim Size	Tire Size	Wheel	Wheel
	275/55-20	21	621
21	2.75-21	5	148
	3.00-21	6	177
	M70/100-21	4	118
	M80/100-21	5	148
	M90/100-21	7	207
	M80/90-21	5	148
	M90/90-21	6	177
	MH90-21	5	148
	MH120-70-21	8	237

Formula for tire sizes not found in this section use the following formula:
Overall Diameter (inches) x Overall Width (inches) ÷ (divided by) 16= Ounces per tire
Convert Ounces (OZ's) to mL multiply ounces by 29.5735

***CAUTION: IT IS HIGHLY RECOMMENDED TO APPLY SAHARA MOTO IN NEW TUBERS ONLY, BECAUSE THE OLD TUBES MAY CONTAIN CONTAMINATED WATER OR OTHER BALLAST/SEALANT LIQUIDS THAT WILL INTERFERE WITH THE PERFORMANCE OF SAHARA MOTO. NOT TO BE USED AS A PUNCTURE REPAIR IN TUBES OR PINCHED TUBES. IF NOT SURE, PLEASE CONTACT US.**